

**COMPUTER CENTRE**  
**PANJAB UNIVERSITY, CHANDIGARH - 160014.**  
**Website: <http://cc.puchd.ac.in>**

Prof. R. K. Singla  
Director  
Phone 2534077, 4073  
Email: [directorcc@pu.ac.in](mailto:directorcc@pu.ac.in)

No.CC/15/106-124

Dated: 20/02/2015

---

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dear Sir,

Kindly quote your rates for the Items/ Works as per specifications enclosed in Annexure-I, to be purchased by the Computer Centre, P.U. Chandigarh.

The quotation in a sealed envelope (mentioning clearly the terms and conditions of payment, rate of Sales Tax applicable etc. and other terms) may please be addressed to **the Director, Computer Centre, Panjab University, Chandigarh 160014** which must reach the office **by 04:00 PM, 09<sup>th</sup> March 2015**, Please attach the relevant literature and full technical specifications of the equipment.

**Terms and conditions for the supply are:**

1. The delivery will be FOR Computer Centre, P.U. Chandigarh.
2. No advance payment will be made.
3. Full and final payment will be made on the receipt of the material and satisfactory installation.
4. P.U. does not issue C or D form.
5. The contracts for supply of equipment and labour work will be awarded separately to the firms quoting the lowest total cost in the corresponding section.
6. Quantum of labour work is on the basis of estimates but the payment will be made on the basis of actual work.

Thanking you,

Yours faithfully

Director

### Section 1: List of Items

For the items at Sr. No. 1 to 5, please quote the products of the following makes only.  
Tyco-AMP, Systimax, Siemon, R & M, Panduit, 3M, Molex, Schneider-Digilink

Sr. No.	Item Description	Qty.
1	Cat 6 UTP Ethernet cable. Conductors: 23 AWG solid bare copper or better. Insulation: Polyethylene. Rip Cord: Yes. Individual cable pair separated by Central Cross separator. UL/ETL Verified. ANSI/TIA-568-C.2 Meets and exceeds Cat 6 performance standard. Meets standards for PoE applications. Descending length cable markings. Tangle free 305m (1000 feet) rolls. RoHS and LSZH Compliant.	40 Rolls (305 Mtr each)
2	Cat 6 I/O with single face plate and SMB.	200 nos.
3	Cat 6 UTP Ethernet patch cords (1 Mtr) Conductors: 23 AWG solid bare copper or better. Insulation: Polyethylene. UL/ETL Verified. ANSI/TIA-568-C.2 Individual cable pair separated by Central Cross separator. Meets and exceeds Cat 6 performance standard. Meets standards for PoE applications. RoHS and LSZH Compliant.	400 nos.
4	Cat 6 UTP Ethernet patch cords (2 Mtr) Conductors: 23 AWG solid bare copper or better. Insulation: Polyethylene. UL/ETL Verified. ANSI/TIA-568-C.2 Individual cable pair separated by Central Cross separator. Meets and exceeds Cat 6 performance standard. Meets standards for PoE applications. RoHS and LSZH Compliant.	400 nos.
5	Cat 6 UTP Ethernet patch cords (3 Mtr) Conductors: 23 AWG solid bare copper or better. Insulation: Polyethylene. UL/ETL Verified. ANSI/TIA-568-C.2 Individual cable pair separated by Central Cross separator. Meets and exceeds Cat 6 performance standard. Meets standards for PoE applications. RoHS and LSZH Compliant.	50 nos.

6	PVC Conduit pipe 25mm Diameter Impact Resistant ISI/ISO Certified	400 Mtr.
---	--	----------

**Section 2: Scope of LAN Work/ Labour Work**

<b>Sr. No.</b>	<b>Description</b>	<b>Qty.</b>
1	Laying of UTP with marking, numbering and tagging	10,000 Mtr.
2	Fixing & Punching of I/O with SMB.	800 no.
3	Laying of conduit with flexible, band, junction box and clamping.	200 Mtr.
4	Fixing of rack with Jack panel & switches	10 no.